

## KKS Duct connected silencers

[Find more details in our online catalogue](#)



### **KKS 100 silencer-section**

#### **with 3 built in splitters**

KKS – Silencer-section for MUB

The silencer-module is equipped with splitters with a length of 750mm.

The casing is a self-supporting construction of aluminium profile. Double skin panels made of galvanised sheet steel, with 30 mm sound and heat insulation made of mineral wool. Corners made of high shock-resistant plastic type PA6.


This fits exactly to our Multiboxes (MUB / MUB/T) in terms of dimensions and design, therefore it is directly connectable to the suitable Multibox. The necessary connecting material is already included.

## Technical parameters

### Dimensions and weights

Weight	95 kg
--------	-------

## Performances





## Acoustic

Type / Typ

Frequency / Frequenz

		Hz							
		63	125	250	500	1k	2k	4k	8k
KKS-025	dB	2	5	11	20	24	17	12	9
KKS-042		2	6	17	23	23	17	12	10
KKS-062		3	8	20	23	23	17	12	9
KKS-100		3	8	17	16	15	11	8	6

## Dimension



Dimensions in mm	A	B	C	D	E
KKS 025	520	520	1020	378	378
KKS 042	690	690	1020	548	548
KKS 062	820	820	1020	678	678
KKS 100	1020	1020	1020	878	878

## Accessories

- FGV 100/916-916 flex. conn. (4199)
- GRU 100-1020/100 (276663)

## Documents

- Brochure - Accessories for MUB
- UKCA Declaration of Conformity
- EU Declaration of conformity\_001