### TRANSFORMER CONTROLLER



>> Select models available for next day delivery



## TRANSFORMER CONTROLLER

### Overview

- IP20 enclosure
- Five speed stepped control
- Illuminated on/off switch (single phase units only)
- Fitted Motor Protection type D MCB (single phase units only)
- Suitable for operating temperatures up to +40°C
- Ideal for environments where noise is a primary consideration as these controls do not create magnetic hum associated with some step-less forms of speed control



A range of transformer voltage controllers used to provide five speed step control of single phase or three phase motors where the peak current of the motor does not exceed the rating of the controller. Speed control is via selector switch. Single phase units are complete with illuminated on/off switch.



Product Code	Max Peak Current Amps	Weight kg	IP Rating
149-TC12	2	3	<b>I</b> P20
149-TC14	4	4	<b>I</b> P20
149-TC18	8	6	<b>I</b> P20
149-TC110	10	7	<b>I</b> P20
149-TC112	12	8	<b>I</b> P20
149-TC116	16	13	<b>I</b> P20

#### **Three Phase** 380V to 415V / 50Hz

2

Product Code	Max Peak Current Amps	Weight kg	IP Rating
149-TC33	3	12	IP20
149-TC35	5	14	IP20
149-TC310	10	25	IP20



Tel 01384 275800 Fax 01384 275810 Email info@eltauk.com Website eltauk.com

# TRANSFORMER CONTROLLER

Notes		



Tel +44 (0) 1384 275800 Email info@eltauk.com eltauk.com

149-TC-05-2023 Issue B







